

Coffice of the Suncipal RADHANAGAR GOVERNMENT PRIMARY TEACHERS' TRAINING INSTITUTE

P.O : DAKSHIN RADHANAGAR, VIA : MUGKALYAN, DIST. : HOWRAH, PIN – 711312 Email id – radhangar.ptti03@gmail.com, Website-www.radhanagargovt.wbptti.in

Memo No. 118 /NIQ/RGPTTI

Date: 12.09.2022

Teache,

From:- Lecturer- in – Charge, Radhanagar Govt P.T.T.I, Howrah

Notice for Inviting Quatation

Quotations are invited with sealed envelope from Reliable, Resourceful & Bonafied contractor for supplying labour & materials for constrictions of concrete road of Radhanagar Institute's inside as list attached herewith.

- 1. The quotation documents and other relevant particulars may be for placed verification by the intending questioners during office hours at the office.
- The accepting authority does not bind himself to accept lowest of any quotation without assigning any reasons or thereof. The accepting authority also reserves the right to reject any or all quotation without assigning any reason.
- 3. Commencement of submission of quotation paper -12.09.2022
- 4. Date of closing of quotation paper -19.09.2022 at 02.00 P.M.
- 5. Date of opening of quotation paper -19.08.2022 at 03.00 P.M.
- 6. Payment will be made based on measurement as stipulated in the bill of quantities as per accepted rate after completion of work.

Sl. No.	Particular	Description	Time (Days)	Remarks
01	Construction of concrete road	Length = 30 M Width = 2.13M	07	

N.B.:- Work will be started after Administrative approval from the office of the Director , SCERT(WB).

Memo No. 118 /NIQ/RGPTI (1/5)

Dated, 12th Sept.,2022

Sd/lox loyon Mais

Lecturer-micharge Radhanagar Govt, P.T.T.I PO - D. Radhanagar, Howrah

Copy to:

- 1. Director ,SCERT,WB
- 2. DI/S (PE) , Howrah
- 3. BDO, Shyampur II, Howrah
- 4. Pradhan, Kharuberia Gram Panchayat
- 5. Sri Anjan Mandal ,Lecturer. He is requested to upload copy of this order in the Institute website as well as notice board.

Alox Ranjon Haid

Lecturer-in-charge Radhanagar Govt. P.T.T.I. P.O - D. Radhanagar. Howrah